Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	(recordable near drive and closed near medium).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 12:51
S2	178	(recordable with drive).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 12:51
S3	0	(recordable with drive and closed with medium).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 12:51
S4	4	(recordable with drive and closed with (medium or device)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 12:52
S5	0	(recordable with drive and (red near book)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 12:59
S6	0	(recordable with drive and (red with book with specification$1)). clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 12:59
S7	51	(non-commercial$3 or (non near commercial$3) same recordable near drive$2).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 13:20
S8	51	(non-commercial$3 or (non near commercial$3) same creat$3 same recordable near drive$2).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 13:24
S9	0	(red with book with specification and (recordable near drive or medium or media)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 13:25

S10	0	(red with book with specification).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 13:25
S11	266	(cd-r or cd-rw and (non-commercial or non near commercial)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 13:26
S12	266	(cd-r or cd-rw same (non-commercial or non near commercial)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 14:29
S13	266	(cd-r or cd-rw same (non-commercial or non near commercial and closed near medium)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 13:34
S14	1	(bit near stream same segment$1 same track$1).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 13:36
S15	0	(fingerprint$1 same segment$1 same track$1).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 13:36
S16	1	(fingerprint$1 and segment$1 same track$1).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 13:37
S17	14	(fingerprint$1 same track$1).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 13:41
S18	1	(bit near stream$1 same segment$1 same track$1).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 13:41
S19	2362	(segment$1 same track$1).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 13:42

S20	1	(segment$1 same track$1 and fingerprint$1).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 13:42
S21	1	(segment$1 same track$1 and (fingerprint$1 or finger-print$1)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 13:43
S22	7	(segment$1 same track$1 and content near (medium or device)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 14:20
S23	23	(segment$1 same (distance$1 near calculat$3) and (medium or device)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 14:25
S24	0	(bit near stream$3 same (distance$1 near calculat$3) and (medium or device)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 14:25
S25	878	(bit near stream$3 same (medium or device)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 14:26
S26	1130721	(bit near stream$3 same fingerprint$1 (medium or device)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 14:26
S27	0	(bit near stream$3 same fingerprint$1 same (medium or device)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 14:26
S28	0	(bit near stream$3 same fingerprint$1 and (medium or device)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 14:26
S29	24	(bit near stream$3 same track$3 and (medium or device)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 14:27

S30	3	(non-commercial$3 or non near commercial$3) with (test$3 or identif$8) with (medium) and fingerprint$1 same tracks$1 and (database$1 or data near base$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 18:03
S31	3	(non-commercial$3 or non near commercial$3) same (test$3 or identif$8) same (medium) and fingerprint$1 same tracks$1 and (database$1 or data near base$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 18:04
S32	9	(non-commercial$3 or non near commercial$3) same (test$3 or identif$8) same (medium) and (database$1 or data near base$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 18:06
S33	86	(non-commercial$3 or non near commercial$3) same (drive$1 or medium) and (database$1 or data near base$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 18:06
S34	16	S33 and (fingerprint$1 or finger-print$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 18:07
S35	30888	(media near (database$1 or data near base$1)) same (identif$8 or key$1) (fingerprint$1 or finger-print$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 18:08
S36	571	(media near (database$1 or data near base$1)) with (identif$8 or key$1) (fingerprint$1 or finger-print$1) and (track$1 same (off-set or off near set$1 or distance$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 18:09
S37	2	(media near (database$1 or data near base$1)) with (identif$8 or key$1) and (fingerprint$1 or finger-print$1) and (track$1 same (off-set or off near set$1 or distance$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 18:09
S38	2	(media near (database$1 or data near base$1)) same (identif$8 or key$1) and (fingerprint$1 or finger-print$1) and (track$1 same (off-set or off near set$1 or distance$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 18:10

S39	8	(media near (database$1 or data near base$1)) same (identif$8 or key$1) and (fingerprint$1 or finger-print$1) same track$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 18:13
S40	58	(media with (database$1 or data near base$1)) and (fingerprint$1 or finger-print$1 with (database$1 or data near base$1)) and (fingerprint$1 or finger-print$1) same track$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 18:31
S41	183	369/53.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 18:23
S42	1659	360/39.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 18:23
S43	0	S42 and non-commercial near medium	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 18:24
S44	0	S42 and recordable near drive$1 and (closed or finalized) with medium	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 18:25
S45	0	S41 and recordable near drive$1 and (closed or finalized) with medium	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 18:25
S46	1	S40 and recordable near drive$1 and (closed or finalized) with medium	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 18:25
S47	10	recordable near drive$1 and (closed or finalized) with medium	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 18:27
S48	52	non-commercial with medium	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 18:29

S49	13976	707/2,3,10,102,104.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 18:30
S50	79	(media with (database$1 or data near base$1)) and (fingerprint$1 or finger-print$1 with (database$1 or data near base$1)) and S49	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 18:33
S51	2	S50 and (cd-r or cd-w or recordable) with (drive$1 or medium)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 18:33
S52	0	S51 and closed with recordable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 18:34
S53	107	(media near (database$1 or data near base$1)) and (cd-r or cd-w or recordable) with (drive$1 or medium)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 18:34
S54	1	S53 and closed with recordable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 18:34
S55	0	S53 and finalized with recordable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 18:34
S56	6	(search$3 or quer$3) same (fingerprint$1 or finger-print$1) same match$3 same (distance$1 or offset) and (media same (database$1 or data near base$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 17:36
S57	120	(search$3 or quer$3) same (fingerprint$1 or finger-print$1) and match$3 and (distance$1 or offset) and (media same (database$1 or data near base$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 17:34
S58	1125548	"4" and identif$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 17:34

S59	120	S57 and identif$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 17:34
S60	75	(fingerprint$1 or finger-print$1) same match$3 and (distance$1 or offset) same match$3 and (media same (database$1 or data near base$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 17:50
S61	2740	(high-speed$3 or high near speed) same (network$1 or communicat$5) same (database$2 or data near base$1) and extract$3 (fingerprint$1 or finger-print$1) and (media same (database$1 or data near base$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 17:56
S62	2474	(high-speed$3 or high near speed) with (network$1 or communicat$5) same (database$2 or data near base$1) and extract$3 (fingerprint$1 or finger-print$1) and (media same (database$1 or data near base$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 17:57
S63	823	S62 and (search$3 or quer$3) with identif$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 17:56
S64	81	S63 and track$1 same (distance or offset)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 17:56
S65	1885	(high-speed$3) near (network$1 or communicat$5) same (database$2 or data near base$1) and extract$3 (fingerprint$1 or finger-print$1) and (media same (database$1 or data near base$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 17:56
S66	648	S65 and (search$3 or quer$3) with identif$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 17:56
S67	79	S66 and track$1 same (distance or offset)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 17:56

S68	394	(high-speed$3) near (network$1 or communicat$5) and (media same (database$1 or data near base$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 17:57
S69	12	S68 and (finger-print$1 or finger near print$1) same identif$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 18:01
S70	1	S68 and (finger-print$1 or finger near print$1) and (media or medium) with identif$8 and search$3 same remot$3 same (database$1 or data near base$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 18:02
S71	2	S68 and (finger-print$1 or finger near print$1) and search$3 same remot$3 same (database$1 or data near base$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 18:03
S72	19	S68 and search$3 same remot$3 same (database$1 or data near base$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 18:41
S73	1	non-commercial near (test or verif$8) same (medium or media)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 18:42
S74	3	non-commercial with (test or verif$8) same (medium or media)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 18:42
S75	22	non-commercial with (test or verif$8) and (medium or media)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 18:45
S76	1	closed near (medium or media) with red adj book	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 18:46
S77	1	closed near (medium or media) same red adj book	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 18:56

S78	1	non-commercial with (medium or media) same red adj book	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 18:56
S79	1	non-commercial with (medium or media) and red adj book	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 18:56
S80	52	non-commercial with (medium or media)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 18:56
S81	4	non-commercial with (medium or media) and media same fingerprint$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 18:57
S82	41	(non-commercial or closed) with (medium or media) and media same fingerprint$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 19:01
S83	341	(non-commercial or closed) with (medium or media) and media same database$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 19:01
S84	21	(non-commercial or closed) near (medium or media) and media same database$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 19:05
S85	2	(non-commercial or closed) near (medium or media) with test and media same database$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 19:05
S86	2	(non-commercial) with (medium or media) with test and media same database$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 19:05
S87	2	(non-commercial) with (medium or media) with test	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 19:07

S88	31	(non-commercial) with test$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 19:05
S89	5	(non-commercial) same (medium or media) same test	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 19:08
S90	18	(non-commercial) with (medium or media) and test	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 19:08